

10/15/24

Quote Number 021924DEERPARK

Email: info@grizzlycranes.com Website: www.grizzlycranes.com

PRICING VALID FOR 10 BUSINESS DAYS

Customer

City of Deer Park P.O. Box 700 Deer Park, TX 77536

Shipping Address

City of Deer Park 4105 Luella Ave, Building D Deer Park, TX 77536

Notes	Projec	t	Sh	Ship Via	
	215 SW NEW		FREIGHT		
Part Number - Description		Qty	Cost	Total	
#215SW - NEW GRIZZLY 215 SW BASE MACHINE W/ 50 HP REMOTE POWER PACK W/ 48" CAB, TALL MAST SW COMPACTING GRAPPLE & STANDARD CONTROLS		1	\$199,990.00	\$199,990.00	
#7613F - WINDOW GUARD, FRONT, CAB		1	\$1,350.00	\$1,350.00	
#LOAD LIGHTS - LED CLEAR		上1	\$1,475.00	\$1,475.00	
#KB-2T1-0005-M1XX480V - TANK HEATER, SW, CHROMALOX		1	\$585.00	\$585.00	
#OSINS - ON-SITE VISIT, INSTALLATION SUPERVISION (ESTIMATED- TO BE DETERMINED - TIME, EXPENSES & MATERIALS IF NEEDED)		1 HR	ТВО	TBD	
#S&HC - SHIPPING AND HANDLING (ESTIMATED - TO BE DETERMINED AT TIME OF SHIPPMENT - TO CUSTOMER)		1	TBD	TBD	
#S&HC - SHIPPING & HANDLING (RETURN SHIPMENT TO CRANE EQUIPMENT FOR CORE CREDIT ESTIMATED - TO BE DETERMINED AT TIME OF SHIPMENT)		1	TBD	TBD	
#CRCH - CORE CHARGE (TO BE CREDITED ONCE CORE IS EVALUATED AND RETURNED WITHIN 30 DAYS OF ORIGINAL INVOICE DATE) ESTIMATED - \$3,000.00 TO \$5,000.00 CORE CREDIT UPON EVALUATION OF RETURN TO FACTORY.		1	-(\$5,000.00)	-(\$5,000.00)	

THANK YOU FOR YOUR VALUED BUSINESS

Estimate Total \$203,400.00

Shipping quotes are subject to change at time of shipment due to constant fluctuating in shipping costs. Any additional shipping costs such as lift-gates, redilvery, residental vs. commercial, change of address, etc. will be incured by the customer.

Payment is due within 30 days. Please note that late invoices will be charge 1.85% per month. If your account terms differ from 30 days, the same interest charge will accrue per month past it's due date. Return parts are subject to a re-stocking fee up to 10% per item.

For any questions regaurding this quote or your account, please call 541-746-9681 or email info@grizzlycranes.com