Prepared for: Edwin Garcia

CITY OF DEER PARK 710 E SAN AUGUSTINE ST DEER PARK, TX 77536 Phone: 281-478-7213 The filter language and the displayed. The filter is too town count, and makes here filter the day grade her for count file and business.

Prepared by: Adam Neuse Houston Freightliner 9550 North Loop East Houston, TX 77029 Phone:

# A proposal for **CITY OF DEER PARK**

Prepared by **Houston Freightliner**Adam Neuse

Nov 17, 2021

## Freightliner 114SD Transfer Tractor



Components shown may not reflect all spec'd options and are not to scale

Prepared by:
Adam Neuse
Houston Freightliner
9550 North Loop East
Houston, TX 77029
Phone:

### SPECIFICATION PROPOSAL

	Data Code	Description	Weight Front	Weight Rear	
Price L	.evel				
	PRL-26D	SD PRL-26D (EFF:7/26/21)			
Data V	ersion				
	DRL-024	SPECPRO21 DATA RELEASE VER 024			
Interio	r Convenienc	e/Driver Retention Package			
	055-002	INTERIOR CONVENIENCE PACKAGE			
Vehicle	<b>Configuration</b>	on			
	001-177	114SD CONVENTIONAL CHASSIS	7,934	6,476	
	004-223	2023 MODEL YEAR SPECIFIED			
	002-002	SET BACK AXLE - TRACTOR	500	-480	
	003-001	LH PRIMARY STEERING LOCATION			
Genera	al Service				
	AA1-001	TRACTOR/TRAILER CONFIGURATION			
	AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)			
	A85-011	CONSTRUCTION SERVICE			
	A84-1GM	GOVERNMENT BUSINESS SEGMENT			
	AA4-013	MOIST BULK COMMODITY			
	AA5-006	TERRAIN/DUTY: 10% (SOME) OF THE TIME, IN TRANSIT, IS SPENT ON NON-PAVED ROADS			
	AB1-008	MAXIMUM 8% EXPECTED GRADE			
	AB5-003	MAINTAINED GRAVEL OR CRUSHED ROCK - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			
	995-1AE	FREIGHTLINER LEVEL II WARRANTY			
	A66-99D	EXPECTED FRONT AXLE(S) LOAD: 13300.0 lbs			
	A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 40000.0 lbs			
	A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 53300.0 lbs			
	A70-99D	EXPECTED GROSS COMBINATION WEIGHT: 70000.0 lbs			



	Data Code	Description	Weight Front	Weight Rear	
Truck	Service				
	AF3-2CR	TRACTOR ONLY WITH NO BODY UPFIT			
Tracto	r Service				
	AA2-023	FRAMED END DUMP (NON-TRANSFER) TRAILER			
	AH6-001	SINGLE (1) TRAILER			
Engine	)				
	101-26W	CUM X12 475V HP @ 1900 RPM, 1700 LB-FT @ 1000 RPM, 2000 GOV RPM, VOC	-390	-45	
Electro	onic Paramet	ers			
	79A-070	70 MPH ROAD SPEED LIMIT			
	79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			
	79K-011	PTO MODE ENGINE RPM LIMIT - 1400 RPM			
	79M-001	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED			
	79P-004	PTO RPM WITH CRUISE SET SWITCH - 900 RPM			
	79Q-009	PTO RPM WITH CRUISE RESUME SWITCH - 1200 RPM			
	79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH			
	79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND			
	79V-001	FUEL DOSING OF AFTERTREATMENT ENABLED IN PTO MODE-CLEANS HYDROCARBONS AT HIGH TEMPERATURES ONLY			
	80C-001	ENGINE BRAKE WITH CRUISE CONTROL ENABLED AT 2 MPH ABOVE SET SPEED, 2 MPH INCREMENT BETWEEN BRAKING LEVELS			
	80G-002	PTO MINIMUM RPM - 700			
	80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH			
Engine	Equipment				
	99C-021	2010 EPA/CARB/GHG21 CONFIGURATION			
	99D-010	NO 2008 CARB EMISSION CERTIFICATION			
	13E-001	STANDARD OIL PAN			
	105-001	ENGINE MOUNTED OIL CHECK AND FILL			
	014-1B5	SIDE OF HOOD AIR INTAKE WITH DONALDSON HIGH CAPACITY AIR CLEANER WITH SAFETY ELEMENT, FIREWALL MOUNTED			
	124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			



Data Code	Description	Weight Front	Weight Rear	
292-236	(3) DTNA GENUINE, FLOODED STARTING, MIN 3000CCA, 555RC, THREADED STUD BATTERIES			
290-1CD	BATTERY BOX WITH ALUMINUM COVER MOUNTED SHORT SIDE TO RAIL	15		
281-001	STANDARD BATTERY JUMPERS			
282-003	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB			
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			
289-001	NON-POLISHED BATTERY BOX COVER			
87P-001	CAB AUXILIARY POWER CABLE	5		
293-058	POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT	10		
295-029	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER	2		
107-048	CUMMINS NATURALLY ASPIRATED 25.9 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			
128-004	CUMMINS INTEBRAKE BRAKE WITH HIGH MED LOW BRAKE			
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	30	25	
28F-007	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD ACTIVE REGENERATION AND DASH MOUNTED SINGLE REGENERATION REQUEST/INHIBIT SWITCH			
239-026	10 FOOT 06 INCH (126 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT			
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP			
23U-002	13 GALLON DIESEL EXHAUST FLUID TANK			
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			
23Z-002	NON-POLISHED ALUMINUM DIAMOND PLATE DIESEL EXHAUST FLUID TANK COVER	15	5	
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			



	Data Code	Description	Weight Front	Weight Rear	
	242-011	ALUMINUM AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD(S)			
	273-036	BORG WARNER (KYSOR) REAR AIR ON/OFF ENGINE FAN CLUTCH			
	276-002	AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED			
	110-003	CUMMINS SPIN ON FUEL FILTER			
	118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER			
	266-057	1500 SQUARE INCH ALUMINUM RADIATOR			
	103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			
	171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			
	172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			
	270-016	RADIATOR DRAIN VALVE			
	168-001	STEEL OIL PAN GUARD	80		
	155-055	DELCO 12V 39MT HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH	-45		
Transm	ission				
	342-1M3	ALLISON 4500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	260	100	
Transm	ission Equip	ment			
	343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV			
	84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			
	84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			
	84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			
	84E-013	S1 PERFORMANCE PRIMARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			
	84F-012	S1 PERFORMANCE SECONDARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			
	84G-011	1950 RPM PRIMARY MODE SHIFT SPEED			

3

[	Data Code	Description	Weight Front	Weight Rear
8	34H-011	1950 RPM SECONDARY MODE SHIFT SPEED		
8	34U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES		
3	34C-001	ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED		
3	862-823	CUSTOMER INSTALLED CHELSEA 280 SERIES PTO		
3	363-001	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION ALLISON		
3	341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN		
3	345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED		
9	97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013		
3	370-011	WATER TO OIL TRANSMISSION COOLER, FRAME MOUNTED		
3	346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK		
3	35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)		
Front Ax	le and Equip	ment		
4	100-097	MFS-13-143A 13,300# FF1 71.5 INCH KPI/3.74 INCH DROP SINGLE FRONT AXLE	60	
4	102-050	MERITOR 16.5X5 Q+ CAST SPIDER HEAVY DUTY CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		
4	103-043	2011/2013-FMVSS 121 RSD FRONT BRAKE LINING		
4	119-001	CAST IRON OUTBOARD FRONT BRAKE DRUMS		
4	127-001	FRONT BRAKE DUST SHIELDS	5	
4	109-006	FRONT OIL SEALS		
4	108-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
4	116-022	STANDARD SPINDLE NUTS FOR ALL AXLES		
4	105-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS		
4	106-001	STANDARD KING PIN BUSHINGS		
5	36-050	TRW THP-60 POWER STEERING		
5	539-003	POWER STEERING PUMP		
5	534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR		
4	IOT-001	MINERAL SAE 80/90 FRONT AXLE LUBE		



Data Code	Description	Weight Front	Weight Rear	
Front Suspension				
620-1D8	13,300# TAPERLEAF FRONT SUSPENSION	75		
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			
62G-998	NO FRONT SUSPENSION OPTIONS			
410-001	FRONT SHOCK ABSORBERS			
Rear Axle and Equi	ipment			
420-074	RT-40-160 40,000# R-SERIES TANDEM REAR AXLE		370	
421-456	4.56 REAR AXLE RATIO			
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			
386-075	MXL 18T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	-10	-10	
388-073	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES			
452-006	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES		30	
878-023	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD- REAR AND REAR-REAR AXLE VALVE			
87A-001	BLINKING LAMP WITH EACH INTERAXLE LOCK SWITCH, INTERAXLE UNLOCK DEFAULT WITH IGNITION OFF			
87B-004	BLINKING LAMP WITH EACH MODE SWITCH, DIFFERENTIAL UNLOCK WITH IGNITION OFF, ACTIVE <5 MPH			
423-019	MERITOR 16.5X8.62 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			
433-043	2011/2013-FMVSS 121 RSD REAR BRAKE LININGS			
434-005	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT BRACKETS			
451-001	CAST IRON OUTBOARD REAR BRAKE DRUMS		20	
425-002	REAR BRAKE DUST SHIELDS		10	
440-006	REAR OIL SEALS			
426-101	WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE SPRING PARKING CHAMBERS			
428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTERS			
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE			
42T-001	STANDARD REAR AXLE BREATHER(S)			



Data Code	Description	Weight Front	Weight Rear	
Rear Suspension				
622-219	AIRLINER 40,000# EXTRA DUTY REAR SUSPENSION WITH CHAIN CLEARANCE		100	
621-007	AIRLINER HIGH POSITION RIDE HEIGHT			
431-005	RESTRAINED AXLE SEATS IN AXLE CLAMP GROUP			
624-025	55 INCH AXLE SPACING			
888-048	MANUAL DUMP VALVE FOR AIR SUSPENSION WITH GAUGE			
87D-006	INDICATOR LIGHT FOR EACH REAR SUSPENSION CONTROL SWITCH			
910-004	DUAL AIR REAR SUSPENSION LEVELING VALVES			
623-002	TRANSVERSE CONTROL RODS			
439-005	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM) (AIR RIDE SUSPENSION)			
Brake System				
490-101	WABCO 4S/4M ABS WITH TRACTION CONTROL, WITH ATC OFF-ROAD SWITCH			
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			
904-001	FIBER BRAID PARKING BRAKE HOSE			
412-001	STANDARD BRAKE SYSTEM VALVES			
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			
413-002	STD U.S. FRONT BRAKE VALVE			
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			
480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER			
479-015	AIR DRYER FRAME MOUNTED			
460-001	STEEL AIR BRAKE RESERVOIRS			
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS			
<b>Trailer Connections</b>				
481-071	12 FOOT COILED TRAILER AIR HOSE WITH 12 INCH TRACTOR, 12 INCH TRAILER LEADS	12		
476-002	36 INCH STAINLESS STEEL SLIDE BAR WITH SPRING TYPE AIR HOSE HANGER	2		
484-006	COMBINATION DUMMY GLAD HANDS AND LIGHT PLUG HOLDER			

(2) The field in region contain displayer. The direct loss to complete contains a contain level field of the field purchased control field or for buildings.

Data Code	Description	Weight Front	Weight Rear	
296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION			
297-005	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE FRAME MOUNTED AFT CAB			
335-004	UPGRADED CHASSIS MULTIPLEXING UNIT			
310-081	12 FOOT DETACHABLE COILED PRIMARY TRAILER ELECTRICAL CABLE WITH SAE J560 CONNECTOR WITH 12 INCH TRACTOR, 12 INCH TRAILER LEADS	12		
Wheelbase & Frame				
545-510	5100MM (201 INCH) WHEELBASE			
546-101	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI	300	-30	
552-003	1400MM (55 INCH) REAR FRAME OVERHANG			
55W-005	FRAME OVERHANG RANGE: 51 INCH TO 60 INCH	10	-40	
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 135.24 in			
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 131.04 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL: 286.01 in			
FSS-0LH	CALCULATED FRAME SPACE LH SIDE: 35.35 in			
FSS-0RH	CALCULATED FRAME SPACE RH SIDE: 159.17 in			
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 95.43 in			
553-002	FLANGED TAPERED END OF FRAME			
550-001	FRONT CLOSING CROSSMEMBER			
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			
572-020	INVERTED U TRACTOR CROSSMEMBER		10	
565-002	HEAVY DUTY SUSPENSION CROSSMEMBER		30	
Chassis Equipment				
674-001	LH BACK OF CAB ACCESS	5	5	
592-054	21 INCH (525MM) DECK PLATE FLUSH MOUNTED BETWEEN RAILS	10	5	
556-1E6	14 INCH CHROMED STEEL BUMPER			
558-070	REMOVABLE FRONT TOW/RECOVERY DEVICE,STORED ON CHASSIS FRAME	15		
585-005	BETTS B-84 PAINTED COILED SPRING HEAVY DUTY MUDFLAP BRACKETS		25	

	Data Code	Description	Weight Front	Weight Rear	
	590-001	BLACK MUDFLAPS		15	
	551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			
	583-058	PLASTIC QUARTER FENDERS WITHOUT LOGO		30	
Fifth W	/heel				
	578-1CG	JOST JSK37 SERIES 24.0 INCH AIR SLIDE FIFTH WHEEL - 2 INCH SLIDE INCREMENTS	30	510	
	577-305	FIFTH WHEEL 305MM (12.0 INCHES) AHEAD OF SUSPENSION CENTERLINE			
	582-013	171MM (6.75 INCH) FIFTH WHEEL HEIGHT			
	570-001	STEEL OUTBOARD ANGLE - FIFTH WHEEL MOUNTING			
	890-001	DASH MOUNTED CONTROL AND PLUMBING FOR FIFTH WHEEL			
	579-005	LH FIFTH WHEEL RELEASE			
	581-011	FIFTH WHEEL RAMPS		40	
Fuel Ta	anks				
	204-154	80 GALLON/302 LITER ALUMINUM FUEL TANK - LH	10		
	218-006	25 INCH DIAMETER FUEL TANK(S)			
	215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			
	212-007	FUEL TANK(S) FORWARD			
	664-001	PLAIN STEP FINISH			
	205-001	FUEL TANK CAP(S)			
	122-075	ALLIANCE FUEL FILTER/WATER SEPARATOR	15		
	216-020	EQUIFLO INBOARD FUEL SYSTEM			
	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			
Tires					
	093-1RJ	MICHELIN X WORKS Z 315/80R22.5 20 PLY RADIAL FRONT TIRES	100		
	094-13T	MICHELIN X WORKS D 11R22.5 16 PLY RADIAL REAR TIRES		248	
Hubs					
	418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS			
	450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS			
Wheels	<b>.</b>				

	Data Code	Description	Weight Front	Weight Rear	
	502-356	ALCOA ULTRA ONE 89U64X 22.5X9.00 10-HUB PILOT 5.99 INSET ALUMINUM FRONT WHEELS	-28		
	505-736	ACCURIDE 43644 ACCU-LITE 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS		-256	
	496-011	FRONT WHEEL MOUNTING NUTS			
	497-011	REAR WHEEL MOUNTING NUTS			
	495-998	NO PUSHER/TAG WHEEL MOUNTING NUTS			
Cab E	xterior				
	829-1A2	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			
	650-055	AIR OVER SHOCK CAB MOUNTS, DUAL MOUNT	20	10	
	648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE			
	667-004	FRONT FENDERS SET-BACK AXLE			
	754-017	BOLT-ON MOLDED FLEXIBLE FENDER EXTENSIONS	10		
	678-001	LH AND RH GRAB HANDLES			
	645-002	BRIGHT FINISH RADIATOR SHELL/HOOD BEZEL			
	646-042	STATIONARY BLACK GRILLE WITH BRIGHT ACCENTS			
	65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE			
	644-004	FIBERGLASS HOOD			
	690-016	CAB FLOOR, TOE BOARD AND FIREWALL HEAT SHIELD	5		
	727-066	DUAL 26 INCH RECTANGULAR POLISHED ALUMINUM AIR HORNS ROOF MOUNTED	4		
	726-002	DUAL ELECTRIC HORNS			
	728-002	DUAL HORN SHIELDS			
	657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			
	78G-002	KEY QUANTITY OF 2			
	575-001	REAR LICENSE PLATE MOUNT END OF FRAME			
	312-067	HALOGEN COMPOSITE HEADLAMPS WITH BRIGHT BEZELS			
	302-047	LED AERODYNAMIC MARKER LIGHTS			
	311-012	DAYTIME RUNNING LIGHTS - LOW BEAM ONLY			
	294-042	FREIGHTLINER LED FLANGE MOUNTED STOP/TAIL/TURN LIGHTS WITH SEPARATE INCANDESCENT BACKUP LIGHTS		5	
	300-015	STANDARD FRONT TURN SIGNAL LAMPS			

3

	Data Code	Description	Weight Front	Weight Rear
	318-003	(1) FLUSH UTILITY LIGHT MOUNTED LH BACK OF CAB/SLEEPER	3	
	744-1BC	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE		
	797-001	DOOR MOUNTED MIRRORS		
	796-001	102 INCH EQUIPMENT WIDTH		
	743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS		
	729-001	STANDARD SIDE/REAR REFLECTORS		
	73A-002	REAR REFLECTIVE DEVICE		
	677-054	RH AFTERTREATMENT SYSTEM CAB ACCESS WITH PLAIN DIAMOND PLATE COVER		
	764-010	COMPOSITE EXTERIOR SUN VISOR	10	
	768-043	63X14 INCH TINTED REAR WINDOW		
	661-004	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS		
	654-027	RH AND LH ELECTRIC POWERED WINDOWS, PASSENGER SWITCHES ON DOOR(S)	4	
	663-013	1-PIECE SOLAR GREEN GLASS WINDSHELD		
	659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED		
Cab Int	terior			
	707-1AK	OPAL GRAY VINYL INTERIOR		
	706-026	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL INSERT WITH ALUMINUM KICKPLATE LOWER DOOR		
	708-026	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL INSERT WITH ALUMINUM KICKPLATE LOWER DOOR		
	772-006	BLACK MATS WITH SINGLE INSULATION		
	785-004	DASH MOUNTED ASH TRAY(S) WITHOUT LIGHTER		
	691-014	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS AND ADDITIONAL CENTER COMPARTMENT WITHOUT NETTING		
	742-007	(2) CUP HOLDERS LH AND RH DASH		
	680-007	GRAY/CHARCOAL WING DASH		
	860-004	SMART SWITCH EXPANSION MODULE		
	720-003	5 LB. FIRE EXTINGUISHER	10	
	700-002	HEATER, DEFROSTER AND AIR CONDITIONER		



Data Code	Description	Weight Front	Weight Rear	
701-008	STANDARD HVAC DUCTING WITH SNOW SHIELD FOR FRESH AIR INTAKE			
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			
170-015	STANDARD HEATER PLUMBING			
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR			
702-002	BINARY CONTROL, R-134A			
739-034	PREMIUM INSULATION			
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			
324-011	DOME DOOR ACTIVATED LH AND RH, DUAL READING LIGHTS, FORWARD CAB ROOF			
655-005	LH AND RH ELECTRIC DOOR LOCKS			
284-101	(1) 12V POWER SUPPLY (1) DUAL 2.1 AMP USB CHARGER IN DASH			
756-339	PREMIUM ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WITH 2 AIR LUMBAR, INTEGRATED CUSHION EXTENSION, TILT AND ADJUSTABLE SHOCK	70		
760-1DC	BASIC HIGH BACK NON SUSPENSION PASSENGER SEAT			
759-006	DUAL DRIVER SEAT ARMRESTS AND INBOARD PASSENGER SEAT ARMREST	6		
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			
758-036	VINYL WITH VINYL INSERT DRIVER SEAT			
761-036	VINYL WITH VINYL INSERT PASSENGER SEAT			
763-102	HIGH VISIBILITY ORANGE SEAT BELTS			
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	10		
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL			
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			
Instruments & Contr	rols			
732-003	WOODGRAIN DRIVER INSTRUMENT PANEL			
734-003	WOODGRAIN CENTER INSTRUMENT PANEL			
87L-001	ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK			
870-001	BLACK GAUGE BEZELS			
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM			



Data Code	Description	Weight Front	Weight Rear	
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES			
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS			
721-025	97 DB BACKUP ALARM MOUNTED INBOARD OF RAIL		3	
149-017	ELECTRONIC CRUISE CONTROL WITH SWITCHES ON AUXILIARY GAUGE PANEL (B DASH PANEL)			
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			
811-042	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED			
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			
844-001	2 INCH ELECTRIC FUEL GAUGE			
148-073	ENGINE REMOTE INTERFACE FOR REMOTE THROTTLE			
163-001	ENGINE REMOTE INTERFACE CONNECTOR AT BACK OF CAB			
866-009	DUAL REAR AXLE TEMPERATURE GAUGES WITH SENSOR SHIELD			
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE			
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			
372-043	(1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE AND NEUTRAL INTERLOCK	10		
49B-004	ELECTRONIC STABILITY CONTROL			
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			
679-998	NO OVERHEAD INSTRUMENT PANEL			
746-137	AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH, USB AND AUXILIARY INPUTS, J1939	10		
747-001	DASH MOUNTED RADIO			
750-002	(2) RADIO SPEAKERS IN CAB			
753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF			
74D-002	RADIO WIRING WITH POWER CUTOFF WHEN VEHICLE IN REVERSE GEAR			



	Data Code	Description	Weight Front	Weight Rear	
	810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			
	817-001	STANDARD VEHICLE SPEED SENSOR			
	812-001	ELECTRONIC 3000 RPM TACHOMETER			
	813-998	NO VEHICLE PERFORMANCE MONITOR	-5		
	162-002	IGNITION SWITCH CONTROLLED ENGINE STOP			
	482-001	BW TRACTOR PROTECTION VALVE			
	883-001	TRAILER HAND CONTROL BRAKE VALVE			
	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			
	660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY			
	304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH			
	882-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			
	299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE			
	298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS			
Design	1				
	065-000	PAINT: ONE SOLID COLOR			
Color					
	980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY			
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			
	976-995	SUNVISOR PAINTED SAME AS CAB COLOR A			
	963-003	STANDARD E COAT/UNDERCOATING			
Certifi	cation / Com	pliance			
	996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			
Raw P	erformance [	Data			
	AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 131.04 in			
	AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 95.43 in			
Sales	Programs				

Prepared for: Edwin Garcia

CITY OF DEER PARK 710 E SAN AUGUSTINE ST DEER PARK, TX 77536 Phone: 281-478-7213



Prepared by:
Adam Neuse
Houston Freightliner
9550 North Loop East
Houston, TX 77029
Phone:

#### TOTAL VEHICLE SUMMARY

Weight Summary				
	Weight Front	Weight Rear	Total Weight	
Factory Weight <sup>+</sup>	9206 lbs	7211 lbs	16417 lbs	
 Total Weight <sup>+</sup>	9206 lbs	7211 lbs	16417 lbs	

<sup>(+)</sup> Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

<sup>(\*\*\*)</sup> All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.


Prepared for:

Edwin Garcia CITY OF DEER PARK 710 E SAN AUGUSTINE ST DEER PARK, TX 77536 Phone: 281-478-7213



Prepared by:
Adam Neuse
Houston Freightliner
9550 North Loop East
Houston, TX 77029
Phone:

#### DIMENSIONS



#### **VEHICLE SPECIFICATIONS SUMMARY - DIMENSIONS**

Model	114SD
Wheelbase (545)	5100MM (201 INCH) WHEELBASE
Rear Frame Overhang (552)	
Fifth Wheel (578)JOS	T JSK37 SERIES 24.0 INCH AIR SLIDE FIFTH WHEEL - 2 INCH SLIDE INCREMENTS
Mounting Location (577)	FIFTH WHEEL 305MM (12.0 INCHES) AHEAD OF SUSPENSION CENTERLINE
Maximum Forward Position (in)	12
Maximum Rearward Position (in)	12
Amount of Slide Travel (in)	24
Slide Increment (in)	2
Desired Slide Position (in)	
Cab Size (829)	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
Sleeper (682)	NO SLEEPER BOX/SLEEPERCAB
Exhaust System (016)RH OUTBOARI WITH RH B-PILLAR MOUNTED VERTICAL	D UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY . TAILPIPE



Prepared by: Adam Neuse Houston Freightliner 9550 North Loop East Houston, TX 77029 Phone:

#### **TABLE SUMMARY - DIMENSIONS**

Dimensions	Inches
Bumper to Back of Cab (BBC)	113.4
Bumper to Centerline of Front Axle (BA)	47.9
Back of Cab to Centerline of Rear Axle(s) (CA)	135.2
Effective Back of Cab to Centerline of Rear Axle(s) (Effective CA)	131.0
Back of Cab Protrusions (Exhaust/Intake) (CP)	2.0
Back of Cab Protrusions (Side Extenders/Trim Tab) (CP)	0.0
Back of Cab Protrusions (CNG Tank)	0.0
Back of Cab Clearance (CL)	4.2
Back of Cab to End of Frame	190.3
Cab Height (CH)	71.9
Fifth Wheel to Centerline of Rear Axle(s) (FW)	0.0
Wheelbase (WB)	200.8
Frame Overhang (OH)	55.1
Overall Frame Length	286.0
Overall Length (OAL)	303.8
Rear Axle Spacing	55.0
Unladen Frame Height at Centerline of Rear Axle	40.1

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.