Prepared for: Edwin Garcia CITY OF DEER PARK 710 E SAN AUGUSTINE ST DEER PARK, TX 77536

Phone: 281-478-7213

IP years to second the ext deadle.

Prepared by:
Adam Neuse
Houston Freightliner
9550 North Loop East
Houston, TX 77029
Phone:

A proposal for **CITY OF DEER PARK**

Prepared by **Houston Freightliner**Adam Neuse

Nov 17, 2021

Freightliner M2 106 Mynatt Brush Dump



Components shown may not reflect all spec'd options and are not to scale

Prepared for: Edwin Garcia

Edwin Garcia CITY OF DEER PARK 710 E SAN AUGUSTINE ST DEER PARK, TX 77536 Phone: 281-478-7213 P resistant reago users of element. Yet fine the time service, swerrice, a stand-levely text in an appetit for colored the ser finders.

Prepared by: Adam Neuse Houston Freightliner 9550 North Loop East Houston, TX 77029 Phone:

SPECIFICATION PROPOSAL

	Data Code	Description	Weight Front	Weight Rear	
Price Le	vel				
	PRL-26M	M2 PRL-26M (EFF:7/26/21)			
Data Ver	rsion				
	DRL-024	SPECPRO21 DATA RELEASE VER 024			
Vehicle (Configuratio	n			
	001-172	M2 106 CONVENTIONAL CHASSIS	5,709	3,503	
	004-223	2023 MODEL YEAR SPECIFIED			
	002-004	SET BACK AXLE - TRUCK			
	019-002	STRAIGHT TRUCK PROVISION			
	003-001	LH PRIMARY STEERING LOCATION			
General	Service				
	AA1-002	TRUCK CONFIGURATION			
	AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)			
	A85-001	REFUSE SERVICE			
	A84-1GM	GOVERNMENT BUSINESS SEGMENT			
	AA4-003	DRY BULK COMMODITY			
	AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			
	AB1-008	MAXIMUM 8% EXPECTED GRADE			
	AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			
	995-091	MEDIUM TRUCK WARRANTY			
	A66-99D	EXPECTED FRONT AXLE(S) LOAD: 12000.0 lbs			
	A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD: 21000.0 lbs			
	A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 33000.0 lbs			
Truck Se	ervice				
	AA3-005	FLATBED/PLATFORM/STAKE BODY			
	A88-99D	EXPECTED TRUCK BODY LENGTH: 0.0 ft			

Prepared for: Edwin Garcia CITY OF DEER PARK 710 E SAN AUGUSTINE ST

DEER PARK, TX 77536 Phone: 281-478-7213

	Data Code	Description	Weight Front	Weight Rear	
	AF3-1V9	HEIL OF TEXAS - HOUSTON			
_	AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES: 32.0 in			
Engine	•				
	101-3E0	CUM L9 330 HP @ 2200 RPM, 2200 GOV RPM, 1000 LB-FT @ 1200 RPM, REFUSE	640	30	
Electro	nic Paramet	ers			
	79A-075	75 MPH ROAD SPEED LIMIT			
	79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			
	79M-001	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED			
	79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH			
	79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND			
	79W-001	ONE REMOTE PTO SPEED			
	79X-003	PTO SPEED 1 SETTING - 800 RPM			
	80G-002	PTO MINIMUM RPM - 700			
	80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH			
Engine	Equipment				
	99C-021	2010 EPA/CARB/GHG21 CONFIGURATION			
	99D-010	NO 2008 CARB EMISSION CERTIFICATION			
	13E-001	STANDARD OIL PAN			
	105-001	ENGINE MOUNTED OIL CHECK AND FILL			
	014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER			
	124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			
	292-235	(2) DTNA GENUINE, FLOODED STARTING, MIN 2000CCA, 370RC, THREADED STUD BATTERIES	10		
	290-017	BATTERY BOX FRAME MOUNTED			
	281-004	BATTERY JUMPERS WITH MEGA FUSE JUNCTION BLOCK (MFJB)	4		
	282-043	LH BATTERY BOX MOUNTED AS FAR AFT AS POSSIBLE, NO GREATER THAN 34 INCHES BACK OF CAB			
	291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			
	289-001	NON-POLISHED BATTERY BOX COVER			

win Garcia
TY OF DEER PARK
DESANALIGUSTINE ST

Data Code	Description	Weight Front	Weight Rear	
293-061	POSITIVE LOAD DISCONNECT WITH CONTROL SWITCH WITH LOCKING PROVISION MOUNTED OUTSIDE OF CAB	2		
295-003	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART CHASSIS MOUNTED LH BACK OF CAB	4		
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			
108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR			
131-013	AIR COMPRESSOR DISCHARGE LINE			
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			
128-076	CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF	20		
016-1C3	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE			
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH			
239-001	STANDARD EXHAUST SYSTEM LENGTH			
237-052	RH STANDARD HORIZONTAL TAILPIPE			
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK			
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			
273-036	BORG WARNER (KYSOR) REAR AIR ON/OFF ENGINE FAN CLUTCH			
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			
110-003	CUMMINS SPIN ON FUEL FILTER			
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER			
266-101	900 SQUARE INCH ALUMINUM RADIATOR	15		
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			
270-016	RADIATOR DRAIN VALVE			

parts to No come the set distribute.

[Data Code	Description	Weight Front	Weight Rear	
1	168-002	LOWER RADIATOR GUARD			
1	138-011	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	4		
1	140-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			
1	134-001	ALUMINUM FLYWHEEL HOUSING			
1	132-004	ELECTRIC GRID AIR INTAKE WARMER			
1	155-055	DELCO 12V 39MT HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH	15		
Transmis	ssion				
3	342-582	ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	200	60	
Transmis	ssion Equipr	nent			
3	343-322	ALLISON VOCATIONAL PACKAGE 170 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODEL RDS AND EVS			
8	34B-013	ALLISON VOCATIONAL RATING FOR REFUSE APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			
8	34C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			
8	34D-022	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 5, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			
8	34E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
8	34F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
8	34G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
8	34H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
8	34J-000	ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
8	34K-000	ENGINE BRAKE RANGE ALTERNATE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			

P resistant reago users of element. Yet fine the time service, swerrice, a stand-levely text in an appetit for colored the ser finders.

	Data Code	Description	Weight Front	Weight Rear
	84N-200	FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED		
	84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES		
	84V-001	DIRECTION CHANGE ENABLED WITH MULTIPLEXED SERVICE BRAKES - ALLISON 5TH GEN TRANSMISSIONS		
	353-022	VEHICLE INTERFACE WIRING CONNECTOR WITHOUT BLUNT CUTS, AT BACK OF CAB		
	34C-001	ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED		
	362-823	CUSTOMER INSTALLED CHELSEA 280 SERIES PTO		
	363-001	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION ALLISON		
	341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN		
	345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED		
	97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013		
	370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK		
	346-013	TRANSMISSION OIL CHECK AND FILL WITH CROSSOVER TO CLEAR LH PTO AND DIRECT MOUNT PUMP		
	35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)		
Front A	Axle and Equip	pment		
	400-1EA	DETROIT DA-F-13.0-3 13,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE		
	402-049	MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		
	403-002	NON-ASBESTOS FRONT BRAKE LINING		
	419-001	CAST IRON OUTBOARD FRONT BRAKE DRUMS		
	409-006	FRONT OIL SEALS		
	408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
	416-022	STANDARD SPINDLE NUTS FOR ALL AXLES		
	405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS		
	536-050	TRW THP-60 POWER STEERING		
	539-003	POWER STEERING PUMP		

p. "Profitable flasty into the deposit." The first has been researd, whereind, y detailed with the North part Control for the deposit.

	Data Code	Description	Weight Front	Weight Rear	
	534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR			
_	40T-001	MINERAL SAE 80/90 FRONT AXLE LUBE			
Front S	Suspension				
	620-1D8	13,300# TAPERLEAF FRONT SUSPENSION	75		
	619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			
	629-004	FRONT SWAYBAR	60		
	410-001	FRONT SHOCK ABSORBERS			
Rear A	xle and Equip	ment			
	420-1N0	MS-21-14X 21,000# R-SERIES SINGLE REAR AXLE		10	
	421-557	5.57 REAR AXLE RATIO			
	424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			
	386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	40	40	
	452-001	DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE		20	
	878-018	(1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR VALVE FOR SINGLE DRIVE AXLE			
	87B-004	BLINKING LAMP WITH EACH MODE SWITCH, DIFFERENTIAL UNLOCK WITH IGNITION OFF, ACTIVE <5 MPH			
	423-033	MERITOR 16.5X7 Q+ CAST SPIDER HEAVY DUTY CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			
	433-002	NON-ASBESTOS REAR BRAKE LINING			
	434-011	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)			
	451-001	CAST IRON OUTBOARD REAR BRAKE DRUMS			
	440-006	REAR OIL SEALS			
	426-100	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS			
	428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTERS			
	41T-001	MINERAL SAE 80/90 REAR AXLE LUBE			
Rear Su	uspension				
	622-1MJ	23,000# 52 INCH VARIABLE RATE MULTI-LEAF SPRING REAR SUSPENSION WITH LEAF SPRING HELPER		110	
	621-001	SPRING SUSPENSION - NO AXLE SPACERS			

and the Control of the Control

Data Code	Description	Weight Front	Weight Rear	
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP			
630-005	SINGLE SPRING REAR SUSPENSION STABILIZER BAR		80	
439-001	REAR SHOCK ABSORBERS - ONE AXLE		40	
Brake System				
018-002	AIR BRAKE PACKAGE			
490-100	WABCO 4S/4M ABS			
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			
904-001	FIBER BRAID PARKING BRAKE HOSE			
412-001	STANDARD BRAKE SYSTEM VALVES			
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			
413-002	STD U.S. FRONT BRAKE VALVE			
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			
480-009	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER	20		
479-003	AIR DRYER MOUNTED INBOARD ON LH RAIL			
460-058	STEEL AIR TANKS MOUNTED AFT INSIDE AND/OR BELOW FRAME JUST FORWARD OF REAR SUSPENSION			
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS			
Trailer Connections				
335-004	UPGRADED CHASSIS MULTIPLEXING UNIT			
32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT			
Wheelbase & Frame				
545-662	6625MM (261 INCH) WHEELBASE			
546-102	7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI	560	330	
547-001	1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT	220	450	
552-009	3050MM (120 INCH) REAR FRAME OVERHANG			
55W-011	FRAME OVERHANG RANGE: 111 INCH TO 120 INCH	-120	510	
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 195.28 in			
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 192.28 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL: 419.9 in			



	Data Code	Description	Weight Front	Weight Rear
	FSS-0LH	CALCULATED FRAME SPACE LH SIDE: 114.12 in		
	FSS-0RH	CALCULATED FRAME SPACE RH SIDE: 223.23 in		
	AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 189.45 in		
	553-001	SQUARE END OF FRAME		
	550-001	FRONT CLOSING CROSSMEMBER		
	559-003	LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE CROSSMEMBER	-12	
	561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION		
	562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)		
	572-001	STANDARD REARMOST CROSSMEMBER		
	565-001	STANDARD SUSPENSION CROSSMEMBER		
Chassi	s Equipment			
	556-1AP	THREE-PIECE 14 INCH PAINTED STEEL BUMPER WITH COLLAPSIBLE ENDS	30	
	558-001	FRONT TOW HOOKS - FRAME MOUNTED	15	
	574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
	586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS		
	551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS		
Fuel Ta	nks			
	204-034	80 GALLON/302 LITER RECTANGULAR ALUMINUM FUEL TANK - LH	40	10
	218-005	RECTANGULAR FUEL TANK(S)		
	215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS		
	212-007	FUEL TANK(S) FORWARD		
	664-001	PLAIN STEP FINISH		
	205-001	FUEL TANK CAP(S)		
	122-1H3	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR	-5	
	216-020	EQUIFLO INBOARD FUEL SYSTEM		
	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
	221-008	FUEL COOLER MOUNTED LEFT HAND IN RAIL	10	
Tires				

	Data Code	Description	Weight Front	Weight Rear	
	093-2DE	MICHELIN X MULTI ENERGY D 11R22.5 14 PLY RADIAL FRONT TIRES	40		
	094-1UX	MICHELIN X MULTI D 11R22.5 14 PLY RADIAL REAR TIRES		96	
Hubs					
	418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS			
	450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS			
Wheels	3				
	502-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 6.18 INSET 2-HAND HD STEEL DISC FRONT WHEELS	26		
	505-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 2- HAND HD STEEL DISC REAR WHEELS		52	
	496-011	FRONT WHEEL MOUNTING NUTS			
	497-011	REAR WHEEL MOUNTING NUTS			
	495-998	NO PUSHER/TAG WHEEL MOUNTING NUTS			
Cab Ex	terior				
	829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			
	650-008	AIR CAB MOUNTING			
	648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE			
	754-008	2-1/2 INCH FENDER EXTENSIONS	10		
	678-001	LH AND RH GRAB HANDLES			
	646-045	MOLD-IN COLOR GRILLE			
	65X-011	MOLD-IN COLOR HOOD MOUNTED AIR INTAKE GRILLE			
	644-004	FIBERGLASS HOOD			
	727-1AH	SINGLE 14 INCH ROUND POLISHED AIR HORN ROOF MOUNTED	4		
	726-001	SINGLE ELECTRIC HORN			
	728-001	SINGLE HORN SHIELD			
	657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			
	78G-002	KEY QUANTITY OF 2			
	575-001	REAR LICENSE PLATE MOUNT END OF FRAME			
	312-043	INTEGRAL HEADLIGHT/MARKER ASSEMBLY			
	302-047	LED AERODYNAMIC MARKER LIGHTS			
	294-042	FREIGHTLINER LED FLANGE MOUNTED STOP/TAIL/TURN LIGHTS WITH SEPARATE INCANDESCENT BACKUP LIGHTS		5	

Joint Stratement soons

	Data Code	Description	Weight Front	Weight Rear
	300-015	STANDARD FRONT TURN SIGNAL LAMPS		
	744-1BC	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE		
	797-001	DOOR MOUNTED MIRRORS		
	796-001	102 INCH EQUIPMENT WIDTH		
	743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS		
	74A-001	RH DOWN VIEW MIRROR		
	74B-080	RH AND LH 8 INCH STAINLESS STEEL FENDER MOUNTED CONVEX MIRRORS WITH TRIPOD BRACKETS	8	
	729-001	STANDARD SIDE/REAR REFLECTORS		
	768-043	63X14 INCH TINTED REAR WINDOW		
	661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS		
	654-003	MANUAL DOOR WINDOW REGULATORS		
	663-013	1-PIECE SOLAR GREEN GLASS WINDSHELD		
	659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED		
Cab Int	terior			
	707-1AK	OPAL GRAY VINYL INTERIOR		
	706-026	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL INSERT WITH ALUMINUM KICKPLATE LOWER DOOR		
	708-026	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL INSERT WITH ALUMINUM KICKPLATE LOWER DOOR		
	772-006	BLACK MATS WITH SINGLE INSULATION		
	691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING		
	694-010	IN DASH STORAGE BIN		
	742-007	(2) CUP HOLDERS LH AND RH DASH		
	680-006	GRAY/CHARCOAL FLAT DASH		
	860-004	SMART SWITCH EXPANSION MODULE		
	700-002	HEATER, DEFROSTER AND AIR CONDITIONER		
	701-001	STANDARD HVAC DUCTING		
	703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH		
	170-015	STANDARD HEATER PLUMBING		

P game to consist the and income.

Data Code	Description	Weight Front	Weight Rear	
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR			
702-002	BINARY CONTROL, R-134A			
739-033	STANDARD INSULATION			
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			
324-011	DOME DOOR ACTIVATED LH AND RH, DUAL READING LIGHTS, FORWARD CAB ROOF			
655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS			
284-023	(1) 12 VOLT POWER SUPPLY IN DASH			
756-338	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WTIH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	30		
760-235	2 MAN TOOL BOX MID BACK NON SUSPENSION PASSENGER SEAT	20		
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			
758-014	BLACK CORDURA PLUS CLOTH DRIVER SEAT COVER			
761-014	BLACK CORDURA PLUS CLOTH PASSENGER SEAT COVER			
763-104	HIGH VISIBILITY ORANGE SEAT BELTS WITH DRIVER INDICATOR LIGHT AND AUDIBLE ALARM			
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	10		
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL			
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			
Instruments & Conti	rols			
732-004	GRAY DRIVER INSTRUMENT PANEL			
734-004	GRAY CENTER INSTRUMENT PANEL			
87L-003	ENGINE REMOTE INTERFACE WITH PARK BRAKE AND NEUTRAL INTERLOCKS			
870-001	BLACK GAUGE BEZELS			
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM			
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES			
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS			

year or excession as a source

Data Code	Description	Weight Front	Weight Rear	
149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL			
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			
811-042	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED			
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			
844-001	2 INCH ELECTRIC FUEL GAUGE			
148-073	ENGINE REMOTE INTERFACE FOR REMOTE THROTTLE			
163-001	ENGINE REMOTE INTERFACE CONNECTOR AT BACK OF CAB			
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE			
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			
372-043	(1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE AND NEUTRAL INTERLOCK	10		
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			
679-001	OVERHEAD INSTRUMENT PANEL			
746-137	AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH, USB AND AUXILIARY INPUTS, J1939	10		
747-001	DASH MOUNTED RADIO			
750-002	(2) RADIO SPEAKERS IN CAB			
753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF			
748-006	POWER AND GROUND WIRING PROVISION OVERHEAD			
749-016	CB WIRING ONLY TO ROOF/OVERHEAD CONSOLE; NO MOUNTING PROVISION			
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			
817-001	STANDARD VEHICLE SPEED SENSOR			
812-001	ELECTRONIC 3000 RPM TACHOMETER			
162-011	IDLE LIMITER, ELECTRONIC ENGINE			

page to the colonial that and decision.

Prepared by: Adam Neuse Houston Freightliner 9550 North Loop East Houston, TX 77029 Phone:

	Data Code	Description	Weight Front	Weight Rear		
	329-010	TWO ON/OFF ROCKER SWITCHES IN THE DASH WITH INDICATOR LIGHTS AND WIRE ROUTED TO CHASSIS AT BACK OF CAB, LABEL OPT				
	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY				
	660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY				
	304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH				
	882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR				
	299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE				
	298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS				
Design						
	065-000	PAINT: ONE SOLID COLOR				
Color						
	980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY				
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT				
	962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)				
	966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)				
	964-3A1	BUMPER PAINT: N0001EA BLACK ELITE SS				
	963-003	STANDARD E COAT/UNDERCOATING				
Certification / Compliance						
	996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS				
Second	Secondary Factory Options					
	998-001	CORPORATE PDI CENTER IN-SERVICE ONLY				
Raw Pe	Raw Performance Data					
	AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 192.28 in				
	AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 189.45 in				
Sales Programs						

NO SALES PROGRAMS HAVE BEEN SELECTED

Prepared for: Edwin Garcia CITY OF DEER PARK 710 E SAN AUGUSTINE ST DEER PARK, TX 77536

Phone: 281-478-7213



Prepared by: Adam Neuse Houston Freightliner 9550 North Loop East Houston, TX 77029 Phone:

TOTAL VEHICLE SUMMARY

Weight Summary					
	Weight	Weight	Total		
	Front	Rear	Weight		
Factory Weight ⁺	7724 lbs	5346 lbs	13070 lbs		
Total Weight ⁺	7724 lbs	5346 lbs	13070 lbs		

⁽⁺⁾ Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.


^(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

Prepared for:

Edwin Garcia CITY OF DEER PARK 710 E SAN AUGUSTINE ST DEER PARK, TX 77536 Phone: 281-478-7213

Prepared by:
Adam Neuse
Houston Freightliner
9550 North Loop East
Houston, TX 77029
Phone:

DIMENSIONS



VEHICLE SPECIFICATIONS SUMMARY - DIMENSIONS

Model	M2106				
Wheelbase (545)	6625MM (261 INCH) WHEELBASE				
Rear Frame Overhang (552)					
Fifth Wheel (578)	NO FIFTH WHEEL				
Mounting Location (577)	NO FIFTH WHEEL LOCATION				
Maximum Forward Position (in)	0				
Maximum Rearward Position (in)	0				
Amount of Slide Travel (in)	0				
Slide Increment (in)	0				
Desired Slide Position (in)	0.0				
	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB				
Sleeper (682)	NO SLEEPER BOX/SLEEPERCAB				
Exhaust System (016)RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAIL PIPE					

Prepared for: Edwin Garcia CITY OF DEER PARK 710 E SAN AUGUSTINE ST DEER PARK, TX 77536

Phone: 281-478-7213

P the late of large union to equipment. The fire was been remod, examined, in attribut, that the late specific flow colonied the late follows.

Prepared by: Adam Neuse Houston Freightliner 9550 North Loop East Houston, TX 77029 Phone:

TABLE SUMMARY - DIMENSIONS

Dimensions	Inches
Bumper to Back of Cab (BBC)	106.3
Bumper to Centerline of Front Axle (BA)	40.7
Min. Cab to Body Clearance (CB)	3.0
Back of Cab to Centerline of Rear Axle(s) (CA)	195.3
Effective Back of Cab to Centerline of Rear Axle(s) (Effective CA)	192.3
Back of Cab Protrusions (Exhaust/Intake) (CP)	2.0
Back of Cab Protrusions (Side Extenders/Trim Tab) (CP)	0.0
Back of Cab Protrusions (CNG Tank)	0.0
Back of Cab Clearance (CL)	3.0
Back of Cab to End of Frame	315.4
Cab Height (CH)	67.4
Wheelbase (WB)	260.8
Frame Overhang (OH)	120.1
Overall Frame Length	419.9
Overall Length (OAL)	421.7
Rear Axle Spacing	0.0
Unladen Frame Height at Centerline of Rear Axle	41.5

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.